LOCATION

# **ADJUSTABLE FIXTURE SUPPORTS** SHALLOW ROUGH-IN TYPE FOR BLOWOUT WATER CLOSETS

## VERTICAL FITTINGS WITH SIDE HUB INLET

**DOUBLE** 




Fig. 0340D **Side View** 

Fig. 0340L . . . CAULK LEFT HAND Fig. 0340R . . . . CAULK RIGHT HAND Fig. 0340D . . . . CAULK DOUBLE

Fig. 0370L . . . . CAULK L.H. LONG BARREL Fig. 0370R . . . . CAULK R.H. LONG BARREL Fig. 0370D . . . . CAULK DOUBLE LONG BARREL

NOTE: Base support must be securely anchored to floor (with four 1/2"(13) bolts provided by contractor).

NOTE: 1 1/2"(38) or 2"(51) tapped inlet available. Add suffix -N. **NOTE:** When used with concealed flush valve locate face plate behind supply pipe.

NOTE: See opposite side for dimension and optional

AxB		)					ŀ	<b>(</b>
SIZE	BLOWOUT		E	F	н	J	BLOWOUT	
	MIN	MAX					MIN	MAX
4 x 4	2 3/4	5 1/2	10	5 1/4	3	9	10 3/4	15 3/4
(100) x (100)	(70)	(140)	(255)	(135)	(76)	(230)	(275)	(400)
5 x 4	2 7/8	5 3/4	11 1/2	6 1/2	3 1/2	11 1/2	10 3/4	15 3/4
(125) x (100)	(73)	(145)	(290)	(165)	(89)	(290)	(275)	(400)
5 x 5	2 7/8	5 3/4	11 1/2	6 1/2	3 1/2	11 1/2	10 3/4	15 3/4
(125) x (125)	(73)	(145)	(290)	(165)	(89)	(290)	(275)	(400)
6 x 4	2 3/4	5 1/2	11 1/2	6 1/4	4	11 1/2	10 3/4	15 3/4
(150) x (100)	(70)	(140)	(290)	(160)	(100)	(290)	(275)	(400)
6 x 5	2 3/4	5 1/2	11 1/2	6 1/4	4	11 1/2	10 3/4	15 3/4
(150) x (125)	(70)	(140)	(290)	(160)	(100)	(290)	(275)	(400)

B A	1-30-98 4-25-94	Added Millimeters Submittal Update	EMB EMB	BS BS	_	VOLUME CUBIC FEET	FIGURE NUMBER <b>0340, 0370</b>
REV.	DATE	DESCRIPTION	BY	CKD. BY			•• ••, •• •

consulted for a suitable gasket recommendation. Jay R. Smith assumes no liability for connections to fixtures which do not

conform to these standards.

IGURE JUMBER

S0200BS

4

NONE

2-28-86

**APPROVED** 

9

CB

DRAWN BY: VGD

0200/0300 Series

IGURE JUMBER

Sheel

CHANGE

TOLERANCE

MANUFACTURERS

SUPERSEDED

Р

USE

RESPONSIBILITY FOR

9

CAN ASSUME

WE


# **MODIFICATIONS & VARIATIONS**

**©** DIMENSION - ADJUS-TO-WALL TYPE OUTLET CONNECTION

The Smith Adjus-to-Wall outlet connection provides adjustment at the face of the wall at the time the fixture is set; thus, compensating for wall construction variations. The **(G)** dimension is measured from the front of the face plate to the finished wall. To properly determine the length of nipple required, deduct 1" (25) from the (a) dimension. When the dimension exceeds 7" (180), the -M40 Wide Pipe Chase Support is recommeded. The Adjus-to-Wall coupling will provide 1/2" (13) horizontal adjustment in either direction with the coupling extended 5/16" (8) past face of the finished wall.

dimension = 4" (100) (regularly furnished) consisting of nipple and adjus-to-wall coupling permitting adjustment from 3" (76) min. to 4" (100) max.

\*ABS (Regularly Furnished) other length PVC.



NIPPLE LENGTHS AVAILABLE

LENGTH	MIN (	MAX
2 1/2 (64)	2 1/4 (57)	3 1/4 (83)
*3 1/4 (83)	3 (76)	4 (100)
*8 1/4 (210)	8 (205)	9 (230)
10 (255)	9 3/4 (250)	10 3/4 (275)
12 (305)		12 3/4 (325)
15 (380)		15 3/4 (400)
18 (455)	17 3/4 (450)	18 3/4 (475)

NOTE: When nipple lengths between 3 1/4" (83) and 8 1/4" (210) are specified, the 8 1/4" (210) nipple will be supplied. Nipple must be cut to specified length by others.

### RECOMMENDED SETTING OF CLOSET OUTLET CONNECTION AND FIXTURE STUDS

Manufacturers have slight differences in the depth of the closet horn and flange thickness of their closets. Usually the fixture support closet connection should extend 5/16" (8) beyond face of finished wall (Dimension "R") and the fixture studs 2 1/4" (57) (Dimension "X"). For exact dimensions please use the formulas below.


**DETAIL A** Formula for "R" is: S + 1/16" (2) - D = R.


S = Depth of closet horn

1/16" (2) = Distance closet is to set away from finished wall. D =1/2" (13) for felt gasket and 3/8" (10) for neoprene gasket. R = Distance coupling should extend beyond finished wall. NOTE: When the fixture is installed, closet gasket must be compressed sufficiently to assure a gas and water-tight seal.

**DETAIL B** Formula for "X" is: Y + 1/16" (2) + 9/16" (14) = X.  $\overline{Y}$  = Thickness of closet wall flange.

1/16" (2) = Distance closet is to set away from finished wall. X = Distance supporting stud should extend beyond finished wall. NOTE: Bearing nuts and washers must be set to take full loading from the fixture allowing 1/16" (2) clearance between fixture and wall.







4 3/4" (120) 10 1/2 (265) MIN 16 (405) MAX

Provides support and alignment for the supply pipe to an exposed flush valve; must be specified for either 1" (25) copper tube or 1" (25) iron pipe.

**□-M40 WATER CLOSET SUPPORT** FOR WIDE PIPE CHASE (USE WHEN @ DIMENSION **EXCEEDS 7" (180))** 

#### SUFFIX -M12 EXPOSED FLUSH VALVE SUPPLY SUPPORT






#### CHEELY MIS THING FRAME

SOFFIX -IM 13 TILING FRAME - POLYSTYRENE					
C B A	12-10-03 6-1-95 7-1-93	Revised Notes Added Millimeters Submittal Update	RN EMB EMB	CL BS BS	
RFV	DATE	DESCRIPTION	BY	CKD BY	

#### **CONCEALED FLUSH VALVES**

A concealed flush valve when used with a blowout water closet support will not clear the face plate. Therefore 4 1/2" (115) to 6 1/2" (165) is required from back of wall to face plate to permit the installation of the concealed flush valve piping.



WEIGHT	VOLUME	FIGURE NUMBER
POUNDS	CUBIC FEET	0200/0300 Series
		Back Sheet